



NOTES:

1. TESTED PER UL-2079 4TH EDITION.
2. IF CODE REQUIRES UL-2079 5TH EDITION, ADDITIONAL FILL MATERIAL MAY BE REQUIRED IN THE JOINT.

HW-D-0524		SHAFT WALL, PARALLEL & DIRECTLY UNDER DECK FLUTE
ASSEMBLY RATING: 1 HR		
CONFIGURATION "A"		
CEMCO WWW.CEMCOSTEEL.COM 13191 Crossroads Pkwy. N. City of Industry, CA 91746 TECHNICAL DEPARTMENT PHONE (800) 775-2362 FAX (626) 330-7598 WWW.CEMCOSTEEL.COM	DISCLAIMER: CEMCO assumes no liability for failure resulting from the use of its drawings, computations, or for failure resulting from the use of alternate materials, or improper application or installation. This drawing is supplied solely to assist in the selection and application of CEMCO products. This drawing is generic in nature and should not be used in design or construction without an independent evaluation by a qualified Architect or Engineer of Record. All warranties of any kind, express or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose are disclaimed.	REVISION: DRAWN BY: T. GARIBEKIAN DATE: 12/12/2019 APPROVED BY: DON PILZ DATE: 12/12/2019 SCALE: 3"=1'-0" JOB NO.: UL DETAILS SHEET NO.: SD33